

### IN THE CLAIMS

Please amend the claims as shown in the following detailed claim listing. The detailed claim listing is intended to reflect the amendment of claims 1-2, 6, 8-9, 13, 15-16, 20, 22-23, and 27 and the addition of new claims 29-48. No claims are canceled.

New claims 29-48 cover other claimable embodiments of the subject matter as supported by the application as originally filed, and they do not introduce any new matter.

The specific amendments to individual claims, and newly added claims 29-48, are detailed in the following marked-up set of claims.

- A.16
- D.B.30
1. (Currently Amended) A method comprising:  
preparing data for display on a display;  
modifying the data to form modified data, if at least one data attribute specifies that the data should be modified; and  
displaying the modified data on the display, the modified data having reduced legibility.
  2. (Currently Amended) The method recited in claim 1 wherein, in modifying, the at least one data attribute is selected from the group consisting of the data is modified in accordance with one or more data attributes from the group comprising font, paragraph, page, document, user name, user location, device name, date, time, style name, data type, text, field, file name, cell, color, size, shape, angular orientation, intensity, and position.
  3. (Original) The method recited in claim 1 and further comprising:  
unmodifying the modified data to form unmodified data; and  
displaying the unmodified data on the display, the unmodified data being legible.

4. (Original) The method recited in claim 3 wherein, in unmodifying, the data is unmodified in accordance with a control signal from a user interface element from the group comprising a cursor position, a pointing device, a key, a button, a screen menu, a screen icon, a microphone, a touch sensitive screen, or a combination thereof.

5. (Original) The method recited in claim 1 wherein, in displaying, the modified data is blurred.

6. (Currently Amended) The method recited in claim 2 [[5]] wherein, in modifying, a degree of blur is varied in accordance with the at least one [[a]] data attribute from the group comprising font, paragraph, page, document, user name, user location, device name, date, time, style name, data type, text, field, file name, cell, color, size, shape, angular orientation, intensity, and position.

7. (Original) The method recited in claim 5 wherein, in modifying, a degree of blur is varied in accordance with a control signal from a user interface element from the group comprising a cursor position, a pointing device, a key, a button, a screen menu, a screen icon, a microphone, a touch sensitive screen, or a combination thereof.

8. (Currently Amended) A computer including a memory to store data and at least one data attribute, and a user interface including a display, the computer executing a computer program comprising the operations of:

preparing data for display on the display;

modifying the data to form modified data, if the at least one data attribute specifies that the data should be modified; and

displaying the modified data on the display, the modified data being illegible.

9. (Currently Amended) The computer recited in claim 8, wherein, in modifying, the at least one data attribute is selected from the group consisting of the data comprises one or more data attributes, and wherein, in modifying, the computer program comprises the operation of modifying the data in accordance with one or more data attributes from the group comprising font, paragraph, page, document, user name, user location, device name, date, time, style name, data type, text, field, file name, cell, color, size, shape, angular orientation, intensity, and position.

A/A  
Sub B2

10. (Original) The computer recited in claim 8, wherein the computer program further comprises the operations of:

unmodifying the modified data to form unmodified data; and  
displaying the unmodified data on the display, the unmodified data being legible.

11. (Original) The computer recited in claim 10 wherein, in unmodifying, the computer program comprises the operation of unmodifying the data in accordance with a control signal from a user interface element from the group comprising a cursor position, a pointing device, a key, a button, a screen menu, a screen icon, a microphone, a touch sensitive screen, or a combination thereof.

12. (Original) The computer recited in claim 8 wherein, in displaying, the computer program comprises the operation of blurring the modified data.

13. (Currently Amended) The computer recited in claim 9, ~~12, wherein the data comprises one or more data attributes, and wherein the computer program, in the modifying operation, varies a degree of blur in accordance with the at least one [[a]] data attribute from the group comprising font, paragraph, page, document, user name, user location, device name, date, time, style name, data type, text, field, file name, cell, color, size, shape, angular orientation, intensity, and position.~~

14. (Original) The computer recited in claim 12 wherein the computer program, in the modifying operation, varies a degree of blur in accordance with a control signal from a user interface element from the group comprising a cursor position, a pointing device, a key, a button, a screen menu, a screen icon, a microphone, a touch sensitive screen, or a combination thereof.

AIV  
*5/25/02*  
15. (Currently Amended) A computer network including a user device having a memory to store data and at least one data attribute, the user device further having a user interface including a display, and a remote computing device, the computer network executing a computer program residing on the remote computing device comprising the operations of:

preparing data for display on the display;

modifying the data to form modified data, if the at least one data attribute specifies that the data should be modified; and

displaying the modified data on the display, the modified data being illegible.

16. (Currently Amended) The computer network in claim 15, wherein, in modifying, the at least one data attribute is selected from the group consisting of the data comprises one or more data attributes, and wherein, in modifying, the computer program comprises the operation of modifying the data in accordance with one or more data attributes from the group comprising font, paragraph, page, document, user name, user location, device name, date, time, style name, data type, text, field, file name, cell, color, size, shape, angular orientation, intensity, and position.

17. (Original) The computer network recited in claim 15, wherein the computer program further comprises the operations of:

unmodifying the modified data to form unmodified data; and

displaying the unmodified data on the display, the unmodified data being legible.

18. (Original) The computer network recited in claim 17 wherein, in unmodifying, the computer program comprises the operation of unmodifying the data in accordance with a control signal from a user interface element from the group comprising a cursor position, a pointing device, a key, a button, a screen menu, a screen icon, a microphone, a touch sensitive screen, or a combination thereof.
19. (Original) The computer network recited in claim 15 wherein, in displaying, the computer program comprises the operation of blurring the modified data.
20. (Currently Amended) The computer network recited in claim 16, 19, wherein the data comprises one or more data attributes, and wherein the computer program, in the modifying operation, varies a degree of blur in accordance with the at least one [[a]] data attribute from the group comprising font, paragraph, page, document, user name, user location, device name, date, time, style name, data type, text, field, file name, cell, color, size, shape, angular orientation, intensity, and position.
21. (Original) The computer network recited in claim 19 wherein the computer program, in the modifying operation, varies a degree of blur in accordance with a control signal from a user interface element from the group comprising a cursor position, a pointing device, a key, a button, a screen menu, a screen icon, a microphone, a touch sensitive screen, or a combination thereof.
22. (Currently Amended) An article comprising a machine-accessible medium having associated instructions, wherein the instructions, when accessed, result in a machine performing:  
preparing data for display on a display;  
modifying the data to form modified data, if the at least one data attribute specifies that the data should be modified; and  
displaying the modified data on the display, the modified data having reduced legibility.

23. (Currently Amended) The article of claim 22, wherein, in modifying, the at least one data attribute is selected from the group consisting of the data comprises one or more data attributes, and wherein the instructions, when accessed by the machine, result in the machine performing: in modifying, modifying the data in accordance with one or more data attributes from the group comprising font, paragraph, page, document, user name, user location, device name, date, time, style name, data type, text, field, file name, cell, color, size, shape, angular orientation, intensity, and position.
24. (Original) The article of claim 22, wherein the machine-accessible medium further includes instructions which, when accessed by the machine, result in the machine performing: unmodifying the modified data to form unmodified data; and displaying the unmodified data on the display, the unmodified data being legible.
25. (Original) The article recited in claim 24 wherein the instructions, when accessed by the machine, result in the machine performing: in unmodifying, unmodifying the data in accordance with a control signal from a user interface element from the group comprising a cursor position, a pointing device, a key, a button, a screen menu, a screen icon, a microphone, a touch sensitive screen, or a combination thereof.
26. (Original) The article recited in claim 22 wherein the instructions, when accessed by the machine, result in the machine performing: in displaying, blurring the modified data.
27. (Currently Amended) The article recited in claim 23, 26, wherein the data comprises one or more data attributes, and wherein the instructions, when accessed by the machine, result in the machine performing: in modifying, varying a degree of blur in accordance with the at least one [[a]] data attribute from the group comprising font, paragraph, page, document, user name, user location, device name, date, time, style name, data type, text, field, file name, cell, color, size, shape, angular orientation, intensity, and position.

28. (Original) The article recited in claim 26, wherein the instructions, when accessed by the machine, result in the machine performing:  
in modifying, varying a degree of blur in accordance with a control signal from a user interface element from the group comprising a cursor position, a pointing device, a key, a button, a screen menu, a screen icon, a microphone, a touch sensitive screen, or a combination thereof.
29. (New) The method recited in claim 1, wherein the at least one data attribute is selected from the group consisting of font size, font type, font color, boldface, italics, and underlining.
30. (New) The method recited in claim 1, wherein the at least one data attribute is paragraph line spacing.
31. (New) The method recited in claim 1, wherein the at least one data attribute is selected from the group consisting of page number and page type.
32. (New) The method recited in claim 1, wherein the at least one data attribute is selected from the group consisting of document name and document type.
33. (New) The method recited in claim 1, wherein the at least one data attribute is a user name.
34. (New) The method recited in claim 1, wherein the at least one data attribute is a user location.
35. (New) The method recited in claim 1, wherein the at least one data attribute is a device name.
36. (New) The method recited in claim 1, wherein the at least one data attribute is a calendar date.

37. (New) The method recited in claim 1, wherein the at least one data attribute is a time of day.

38. (New) The method recited in claim 1, wherein the at least one data attribute is a type of formatting style.

39. (New) The method recited in claim 1, wherein the at least one data attribute is a data type selected from the group consisting of text data, currency data, and numerical data.

40. (New) The method recited in claim 1, wherein the at least one data attribute is a text type selected from the group consisting of a keyword and a character string.

41. (New) The method recited in claim 1, wherein the at least one data attribute is a database field.

42. (New) The method recited in claim 1, wherein the at least one data attribute is a file name.

43. (New) The method recited in claim 1, wherein the at least one data attribute is a spreadsheet cell.

44. (New) The method recited in claim 1, wherein the data comprises a computer-generated graphical image, and wherein the at least one data attribute is selected from the group consisting of color of the image, size of the image, shape of the image, angular orientation of the image, intensity of the image, and position of the image.

45. (New) The method recited in claim 1, wherein the data comprises a computer-processed pre-existing image, and wherein the at least one data attribute is selected from the group consisting of color of the image, size of the image, shape of the image, angular orientation of the image, intensity of the image, and position of the image.

46. (New) A method comprising:

preparing data for display on a display;

modifying the data to form modified data, if at least one font attribute specifies that the data should be modified; and

displaying the modified data on the display, the modified data having reduced legibility.

47. (New) The method recited in claim 46 wherein, in modifying, the at least one font attribute is selected from the group consisting of font size, font type, font color, boldface, italics, and underlining.

48. (New) The method recited in claim 46 wherein, in displaying, the modified data is blurred.